

OSHA-Required Health And Safety Information!

This Material Safety Data Sheet (MSDS) was requested moments ago from Hercules Automated Fax Information System. Please forward it immediately to the person in charge of MSDS's, or retain it at the machine until claimed.

Section 1

MATERIAL SAFETY DATA SHEET # 86 Hercules Plastic Poxy (™)

MATERIAL FORMATION *SERVICE*

Date Prepared: 8/24/1994 **Last Reviewed:** 8/14/2009

Meets OSHA 29 CFR 1910.1200

Hercules Chemical Company Inc. 111 South Street Passaic NJ 07055 Phone (800) 221-9330 Fax (800) 333-3456

Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s), CAS Numbers)	OSHA PEL	ACGIH TLV	Other Limits	Upper Bound Limit if SARA Reportable
Diglycidyl ethers of bisphenol A resins CAS # 67989-52-0	N/E	N/E		
2, 4, 6-Tris (Dimethylamino) Methyl Phenol, CAS # 90-72-2	N/E	5ppm		
Diglycidyl Ether of Bisphenol A, CAS # 25085-99-8	N/E	N/E		

HMIS Hazard Rating: Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: B

Section 3 - Physical/Chemical Characteristics

Boiling Point (°F): **Vapor Pressure Specific Gravity Vapor Density** (H2O = 1):(Air = 1):(mm Hg):

N/A 1.79 N/A N/A

Melting Point (° F): **Evaporation Rate:** Solubility in Water:

(Butyl Acetate = 1)

>140°F None Not Soluble VOC Level: < 0.1%

2 Part Mastic - Off-White Inner, Blue Outer Appearance And Color: Odor: Mercaptan / Sulfur Odor

Section 4 - Fire And Explosion Hazard Data

Flash Point: Flammable Limits: LEL: UEL: N/A N/A N/A N/A

Extinguishing Media: Water Fog, Foam, CO2, Dry Chemical, Alcohol Foam

Special Firefighting Procedures:

Fire fighters should be equipped with NIOSH approved, positive pressure self contained breathing apparatus (SCBA) and full protective clothing.

Unusual Fire And Explosion Hazards:

None. See "Hazardous Decomposition or Byproducts" Below.

Continued on Next Page

Section 5 - Reactivity Data

Stability: Stable Conditions To Avoid: None

Incompatability (Materials To Avoid):

Hazardous Decomposition: Carbon Monoxide, Aldehydes, Acids, Oxides of Sulfur and Nitrogen may be formed.

Hazardous Polymerization: Will Not Occur

Section 6 - Health Hazard Data

Routes of Entry: Inhalation No Skin Yes/Secondary Ingestion Yes/Primary

Health Hazards: None Known

Carcinogenicity: NTP NO IARC NO OSHA Regulated NO

Signs And Symptoms of Exposure:

None

Medical Conditions Generally Aggravated By Exposure:

None

Emergency And First Aid Procedures:

Emergency and First Aid Procedures:

EYES: Flush eyes thoroughly with water for 15 minutes. If effects occur, consult a physician, preferably an

ophthalmologist.

SKIN: Wash with soap and water

INGESTION: No emergency medical treatment necessary

INHALATION: N/A

Note to Physician: Consider additional thorough skin wash with mild non-abrasive soap and plenty of warm water for

at least fifteen (15) minutes.

Continued on Next Page

Section 7 - Precautions For Safe Handling And Use:

Steps To Be Taken In Case Material Is Released Or Spilled:

Sweep up in normal manner.

Waste Disposal Method:

Dispose of in non-hazardous landfill. Not a hazardous waste.

Precautions To Be Taken In Handling And Storing:

None. If sanding cured putty or substrates, wear eye protection and dust mask.

Other Precautions:

Storage tempature - less than 90°

Section 8 - Control Measures:

Respiratory Protection:

See Precautions Above.

Ventilation: Local Exhaust Adequate Special None

Mechanical None Other: N/A

Gloves: Polyethylene for prolonged contact.

Eye Protection: Safety goggles if eye contact likely.

Other Protective

Clothing: None

Work/Hygienic Practices Wash with soap and water thoroughly after handling.

Additional Information:





For Hercules Material Safety Data Sheets by fax anytime, day or night, just call 1-800-942-INFO (1-800-942-4636) from any Touch-Tone phone. Have your fax number ready. Checking the product label for the correct MSDS # will save time.